THEOCHEM, VOLUME 59 (1989)

(*Journal of Molecular Structure, Vol. 200*)

AUTHOR INDEX

Almlöf, J., 361
Andrews, L., 325

Bérces, A., 401
Blahous III, C.P., 591
Bochicchio, R.C., 463
Boggs, J.E., 361
Bohlke, A.P., 471
Borisenko, N.I., 61
Borodkin, G.S., 61
Brunvoll, J., 261
Bulanin, M.O., 33
Bulychev, V.P., 33

Chen, R.-S., 251
Craw, J.S., 19
Crowder, G.A., 235
Cyvin, B.N., 261
Cyvin, S.J., 251, 261

De Almeida, W.B., 19
Della Védova, C.O., 277
Dewar, M.J.S., 301
Durig, J.R., 41, 543

Eckert, M., 73
Ellis, M.C., 353
Ewbank, J.D., 189

Fateley, W.G., 471
Ford, T.A., 507
Fukui, K., 207

Galabov, B., 543
Gatial, A., 443
Gribov, L.A., 149

Hacaloglu, J., 325
Hadži, D., 533
Hammaker, R.M., 471
Hannachi, Y., 483
Harlan, R.J., 41
Hinchliffe, A., 19
Huyskens, P., 555

Ilieva, S., 543

Jones, R.N., 289

Kesper, K., 375
Klaeboe, P., 443
Koizumi, M., 207
Koller, J., 533
Korobov, M.S., 61
Kovacevic, M., 261
Kroon, J., 169
Kroon-Batenburg, L.M.J., 169
Kunttu, H., 93

Ladik, J., 245
Le Calve, N., 131
Lee, M.S., 41
Legon, A.C., 353
Leroy, G., 575
Liegener, C.-M., 245
Limage, M.H., 131
Little, T.S., 41

Maas, R., 413
Mack, H.-G., 277
Mantsch, H.H., 289
Medrano, J.A., 463
Millen, D.J., 353
Minato, T., 207
Minkin, V.I., 61
Moffatt, D.J., 289
Munzel, N., 375
Murto, J., 93

Nagy, J., 401
Náray-szabó, G., 401
Nielsen, C.J., 443
Nivorozhkin, L.E., 61
Novak, A., 131

Oberhammer, H., 277
Owen, N.L., 497

Palmer, M.H., 1
Paukstelis, J.V., 471
Pawelka, Z., 565
Pawlak, Z., 497
Peeters, D., 575
Pietzuch, W., 375
Pimentel, G.C., 225
Pradeep, T., 339
Priebe, H., 443

Raaska, T., 93
Rao, C.N.R., 339
Räsänen, M., 93
Rego, C.A., 353
Riera, A., 103
Romain, F., 131
Ryskina, T.A., 61

Saebo, S., 361
Sana, M., 575
Schaefer III, H.F., 591
Schäfer, L., 189
Scheiner, S., 117
Schweig, A., 375
Siam, K., 189
Siegel, G., 555
Silvi, B., 483
Singmaster, K.A., 225
Specht, H., 375
Stark, J.G., 361
Stouten, P.F.W., 169

Tachibana, A., 207
Tanaka, E., 207
Tate, J.D., 471
Tokhadze, K.G., 33
Tošić, R., 261

Trinajstić, N., 219

Van der Veken, B.J., 413
Vandevijvere, P., 555

White, J.S., 471
Wilante, C., 575

Yamabe, T., 207

Yeo, G.A., 507

Zeegers-Huyskens, Th., 565
Zundel, G., 73

THEOCHEM, VOLUME 59 (1989)

(*Journal of Molecular Structure, Vol. 200*)

SUBJECT INDEX

Acetone
Ab initio studies of structural features not easily amenable to experiment. Part 70. On the additivity principle in structure–conformation relations: quantitative predictions of some conformational structural trends in aliphatic ketones from acetone and butanone, 189

Additivity principle
Ab initio studies of structural features not easily amenable to experiment. Part 70. On the additivity principle in structure–conformation relations: quantitative predictions of some conformational structural trends in aliphatic ketones from acetone and butanone, 189

Allene
Photolysis of allene–ozone mixtures in cryogenic matrices. Part 2. Formation of propadienol, 225

Ammonia
Ab initio molecular orbital calculations of the IR spectra of hydrogen bonded complexes of water, ammonia and hydroxylamine. Part 4. Two dimers of hydroxylamine, 507

An infrared study of the effect of solvated electrons in liquid ammonia on wood surfaces, 497

Anharmonicities
Ab initio vibrational spectra of HCN···HF and HF···HCN hydrogen-bonded dimers: mechanical and electrical anharmonicities, 19

Azides
The vibrational spectra, molecular structure and conformation of organic azides. Part XI. An ab initio, IR matrix isolation and Raman temperature study of 3-azidopropene (allylazide), 443

3-Azidopropene (allylazide)
The vibrational spectra, molecular structure and conformation of organic azides. Part XI. An ab initio, IR matrix isolation and Raman temperature study of 3-azidopropene (allylazide), 443

B···H–X van der Waals complex
The lengthening of the H–X bond in B···H–X van der Waals complexes, 33

Benzocyclobutene
Matrix isolation radiation chemistry and photochemistry: electronic absorption spectra of *o*-xylylene and benzocyclobutene radical cations; localization of Koopmans and non-Koopmans bands in the photoelectron spectra of *o*-xylylene, styrene, toluene, *o*-xylene and benzocyclobutene, 375

Bis(dimethylamino) naphthalene
The strange behaviour of the hydrogen bond complexes of 1,8-bis (dimethylamino) naphthalene in solution, 565

Bond polar parameters
Bond polar parameters for dimethyl ether from ab initio MO calculations and experimental infrared intensities, 543

Boron
Kinetics and mechanism of the enantiomerization of tetracoordinated boron chelate complexes, 61

Butanone
Ab initio studies of structural features not easily amenable to experiment. Part 70. On the additivity principle in structure–conformation relations: quantitative predictions of some conformational structural trends in aliphatic ketones from acetone and butanone, 189

t-Butyl chloride
Cl-nuclear quadrupole coupling in the mi-

crowave spectra of 1-chloroadamantane and t-butyl chloride, 353
Butyl cyanide
Conformational analysis of n-butyl cyanide, 235

Carboxylic acids
Conformational aspects of α-hydroxy carboxylic acids, the heralds of stereochemistry, 169
Chelate complexes
Kinetics and mechanism of the enantiomerization of tetracoordinated boron chelate complexes, 61
1-Chloroadamantane
Cl-nuclear quadrupole coupling in the microwave spectra of 1-chloroadamantane and t-butyl chloride, 353
Chlorocarbonyl isocyanate
How reliable are ab initio calculations? Experimental and theoretical investigation of the structure and conformation of chlorocarbonyl isocyanate, ClC(O)NCO, 277
Chloromethanes
Chemical ionization of chloromethanes for matrix isolation spectroscopy, 325
Computerized infrared spectroscopy
Computerized infrared spectroscopy: beginnings and some stops by the wayside, 289
Conformers
Conformers and vibrational spectra of pyruvic acid: an ab initio study, 93
Cyclohexane
$(NH)_6$ the amino-analog of cyclohexane: a laboratory for the understanding of lone-pair effects on molecular geometry, 591

Dihydroxyethlene
Double proton transfer in the dihydroxyethylene–glyoxal complex, 207
Dimethyl ether
Bond polar parameters for dimethyl ether from ab initio MO calculations and experimental infrared intensities, 543
Dynamics
Atomic dynamics and molecular structure, 103

Electron donor–acceptor complexes
Electronic structures of electron donor–acceptor complexes: results from ultraviolet photoelectron spectroscopy and molecular orbital calculations, 339
Enthalpy
The influence of molecular rigidity on enthalphy and entropy, 555
Entropy
The influence of molecular rigidity on enthalphy and entropy, 555
Ethylphosphine
Spectra and structure of organophosphorus compounds. Part XLIII. Far-infrared spectra and ab initio calculations of ethylphosphine, 41

Fluorination
Two approaches to the computational determination of molecular structure: the torsional angle in tolane and the effect of fluorination on the structure of oxirane, 361
Formic acid
MNDO/H and AM1 calculations on the formic acid–methylamine complexes, 533
Frontier orbital theory
A critique of frontier orbital theory, 301

Glyoxal
Double proton transfer in the dihydroxyethylene–glyoxal complex, 207

H–X bond
The lengthening of the H–X bond in B···H–X van der Waals complexes, 33
Hadamard transformation Raman spectrometry
Near-infrared Hadamard transform Raman spectrometry, 471
Hartree–Fock
A different orbitals for different spins Hartree–Fock and many-body approach to high temperature superconductivity systems, 245
HCN···HF
Ab initio vibrational spectra of HCN···HF and HF···HCN hydrogen-bonded dimers: mechanical and electrical anharmonicities, 19
Hydrogen bond
The strange behaviour of the hydrogen bond complexes of 1,8-bis)di

methylamino) naphthalene in solution, 565
Hydrogen bonded complexes
Ab initio molecular orbital calculations of the IR spectra of hydrogen bonded complexes of water, ammonia and hydroxylamine. Part 4. Two dimers of hydroxylamine, 507
Hydrogen bonds
IR continua of hydrogen bonds and hydrogen-bonded systems, calculated proton polarizabilities and line spectra, 73
Hydrogen halide complexes
Structure and bonding of hydrogen halide complexes: an ab initio calculation of the 1:1 species, 483
Hydrogen-bonded dimers
Ab intio vibrational spectra of HCN···HF and HF···HCN hydrogen-bonded dimers: mechanical and electrical anharmonicities, 19
Hydroxy carboxylic acids
Conformational aspects of α-hydroxy carboxylic acids, the heralds of stereochemistry, 169
Hydroxylamine
Ab initio molecular orbital calculations of the IR spectra of hydrogen bonded complexes of water, ammonia and hydroxylamine. Part 4. Two dimers of hydroxylamine, 507

Idealised geometry
Deviations from idealised geometry: a comparison of microwave and electron diffraction data with ab initio calculations. Part I. Nitriles, 1
IR continua
IR continua of hydrogen bonds and hydrogen-bonded systems, calculated proton polarizabilities and line spectra, 73
Isopropylnitrite
Vibrational and conformational analysis of isopropylnitrite, 413

Kekulé structures
Enumeration of Kekulé structures: perforated rectangles, 251
Ketones
Ab initio studies of structural features not easily amenable to experiment. Part 70. On the additivitity principle in structure-conformation relations: quantitative predictions of some conformational structural trends in aliphatic ketones from acetone and butanone, 189
Koopmans and non-Koopmans band
Matrix isolation radiation chemistry and photochemistry: electronic absorption spectra of *o*-xylylene and benzocyclobutene radical cations; localization of Koopmans and non-Koopmans bands in the photoelectron spectra of *o*-xylylene, styrene, toluene, *o*-xylene and benzocyclobutene, 375

Matrix isolation
Matrix isolation radiation chemistry and photochemistry: electronic absorption spectra of *o*-xylylene and benzocyclobutene radical cations; localization of Koopmans and non-Koopmans bands in the photoelectron spectra of *o*-xylylene, styrene, toluene, *o*-xylene and benzocyclobutene, 375
Matrix isolation spectroscopy
Chemical ionization of chloromethanes for matrix isolation spectroscopy, 325
Methylamine
MNDO/H and AM1 calculations on the formic acid–methylamine complexes, 533
Molecular orbital calculations
Electronic structures of electron from ultraviolet photoelectron spectroscopy and molecular orbital calculations, 339
Molecular structure
Atomic dynamics and molecular structure, 103

NH_3
Structure and energetics of weakly bound complexes: systems incorporating NH_3 and PH_3, 117
Nitriles
Deviations from idealised geometry: a comparison of microwave and electron diffraction data with ab initio calculations. Part I. Nitriles, 1
Optimist
Optimist and pessimist again, or six years after, 149

Organophosphorus compounds
Spectra and structure of organophosphorus compounds. Part XLIII. Far-infrared spectra and ab initio calculations of ethylphosphine, 41
Oxirane
Two approaches to the computational determination of molecular structure: the torsional angle in tolane and the effect of fluorination on the structure of oxirane, 361
Ozone
Photolysis of allene–ozone mixtures in cryogenic matrices. Part 2. Formation of propadienol, 225

Pessimist
Optimist and pessimist again, or six years after, 149
PH_3
Structure and energetics of weakly bound complexes: systems incorporating NH_3 and PH_3, 117
Photoelectron spectra
Matrix isolation radiation chemistry and photochemistry: electronic absorption spectra of *o*-xylylene and benzocyclobutene radical cations; localization of Koopmans and non-Koopmans bands in the photoelectron spectra of *o*-xylylene, styrene, toluene, *o*-xylene and benzocyclobutene, 375
Photolysis
Photolysis of allene–ozone mixtures in cryogenic matrices. Part 2. Formation of propadienol, 225
Propadienol
Photolysis of allene–ozone mixtures in cryogenic matrices. Part 2. Formation of propadienol, 225
Proton polarizabilities
IR continua of hydrogen bonds and hydrogen-bonded systems, calculated proton polarizabilities and line spectra, 73
Proton transfer
Double proton transfer in the dihydroxyethylene–glyoxal complex, 207
Pyruvic acid
Conformers and vibrational spectra of pyruvic acid: an ab initio study, 93

Radical cations
Matrix isolation radiation chemistry and photochemistry: electronic absorption spectra of *o*-xylylene and benzocyclobutene radical cations; localization of Koopmans and non-Koopmans bands in the photoelectron spectra of *o*-xylylene, styrene, toluene, *o*-xylene and benzocyclobutene, 375
$Rb_{0.65}(NH_4)_{0.35}H_2PO_4$
Study by IR and Raman spectroscopy of pseudo-spin crystals of $Rb_{0.65}(NH_4)_{0.35}H_2PO_4$, (in French) 131
Ribonuclease
Rational design in genetic engineering: dream or reality? A priori predictions for thrombin and ribonuclease A mutants, 401

Superconductivity systems
A different orbitals for different spins Hartree–Fock and many-body approach to high temperature superconductivity systems, 245

Thrombin
Rational design in genetic engineering: dream or reality? A priori predictions for thrombin and ribonuclease A mutants, 401
Tolane
Two approaches to the computational determination of molecular structure: the torsional angle in tolane and the effect of fluorination on the structure of oxirane, 361
Torsional angle
Two approaches to the computational determination of molecular structure: the torsional angle in tolane and the effect of fluorination on the structure of oxirane, 361

UHF extension
The UHF extension of the quantum theory of valence and bonding, 463
Ultraviolet photoelectron spectroscopy
Electronic structures of electron donor–

acceptor complexes: results from ultraviolet photoelectron spectroscopy and molecular orbital calculations, 339

Valence and bonding
The UHF extension of the quantum theory of valence and bonding, 463
Vibrational spectra
Conformers and vibrational spectra of pyruvic acid: an ab initio study, 93

Waffles
Waffles, 261
Water
Ab intio molecular orbital calculations of the IR spectra of hydrogen bonded complexes of water, ammonia and hydroxylamine. Part 4. Two dimers of hydroxylamine, 507
Wood surfaces
An infrared study of the effect of solvated electrons in liquid ammonia on wood surfaces, 497
o-Xylene
Matrix isolation radiation chemistry and photochemistry: electronic absorption spectra of *o*-xylylene and benzocyclobutene radical cations; localization of Koopmans and non-Koopmans bands in the photoelectron spectra of *o*-xylylene, styrene, toluene, *o*-xylene, and benzocyclobutene, 375